

ISSUE: 02/01/2019

# TDS – MONA-CLEAN BRICK CLEANER Removes all types of soiling, pollution, stains from vertical building materials

# **DESCRIPTION:**

**Mona-Clean Brick Cleaner** is a strong acidic liquid specifically formulated to remove heavy grime deposits from sandstone and brick.

# **ADVANTAGES:**

Will effectively remove heavy grime deposits from sandstone and brick when used in conjunction with pressure washing.

Due to the unique, thixotropic nature of the product it will cling to vertical surfaces allowing a longer dwell time

# USES:

For use on exterior roofs, facades, floors landscaping products and internally on floors.

- Brickwork
- Concrete
- Glass reinforced concrete cladding panels
- Concrete roof tiles
- Natural stone walling
- Natural stone roof tiles
- Re-constructed stone
- Render

# COLOUR:

Straw coloured thixotropic liquid.

**PACK SIZE:** Supplied in 5 litre jerry cans

**COVERAGE RATE:** Should be applied at 2.4 m<sup>2</sup>/Litre (12m<sup>2</sup>/ 5 Litres).

#### Unit 7 Phoenix Road Wednesfield Wolverhampton WV11 3PX, UK TEL: +44(0) 1902 450 950





### SURFACE PREPARATION:

Pressure wash the area to be treated to prevent any unnecessary absorption.

It may be necessary to degrease the area prior to being cleaned with Mona-Clean Multi Surface Cleaner.

# APPLICATION:

Apply undiluted **Mona-Clean Brick Cleaner** with a bristle brush to the affected area, starting at the top and working to natural breaks, cover the area evenly. Allow to dwell 15-20 minutes before rinsing. Pressure wash with pumps capable of 1500 psi @ 14 lpm, until complete rinsing has been achieved.

# **EQUIPMENT CARE:**

All equipment should be cleaned with water after use.

# STORAGE:

Recommended storage is in a cool, dry place with temperatures between 10-15°C.

**SHELF LIFE:** 12 months (in original sealed container).

**HEALTH & SAFETY:** 

Refer to MSDS.



Data provided on this TDS is based on the best of our knowledge and experience, is given in good faith and should only be regarded as recommendations. No guarantee should be inferred and customers are advised to carry out their own tests under local conditions.